



BlueLine®

# MAXISYSTEM ST

Gas treatment system





- **Reliable**  
Automatic zero point with integrated fresh air valve for comfortable startup
- **Innovative**  
Humidity sensor to verify the measurement and to protect the electrochemical cells (optional)
- **Enduring**  
Designed for long term measurement up to 12 h
- **Comprehensive**  
Smart system assistant using status of fresh air valve, heated line, cooler and optional humidity sensor
- **User-friendly**  
Robust and 7,5 kg lightweight instrument conceived for industrial application


## Developed for high-precision gas analysis

### Description

The portable gas treatment system MAXISYSTEM ST is designed for applications at changing sites requiring high-precision gas analyses which involving pollution and condensate in the flue gas. For the analysis of strongly water-soluble gases (NO<sub>2</sub> and SO<sub>2</sub>), the use of a gas treatment system is indispensable. The complete gas treatment system is contained in a small, sturdy case so that precise and reproducible analyses can be performed quickly and with high reliability. The MAXISYSTEM ST is conceived to dock a MULTILYZER STx flue gas analyzer which perform the measurement using the gas treatment system of the MAXISYSTEM ST.

The gas cooler operates with an electronically controlled Peltier element which reduces the dew point to an optimum value of approx. 5 °C. Via a hose pump the condensate is discharged. The gas treatment system indicates the operating states of the individual system components by means of status indicators. The gas treatment system is developed for quasi-continuous operation with an operating time of up to 12 hours. An LED status indicator provides information on the cooler temperature, the function of the Peltier element and the heating hose temperature.





### Application

The MAXISYSTEM ST gas treatment system together with the MULTILYZER STx flue gas analyzer is an important tool for adjusting engines or heating plants and combustion systems to optimum effect. The MAXISYSTEM ST is used, for example, during commissioning, at regular maintenance intervals, or for troubleshooting unstable operational processes. Exhaust gas measurement is necessary to adjust the engine / plant to optimum operating parameters while complying with the limit value regulations in force - this often entails measurements being taken over several hours. In particular, the high and fluctuating proportion of NO<sub>2</sub> in the flue gas makes the separate measurement of NO and NO<sub>2</sub> necessary to provide a highly accurate indication of the real NO<sub>x</sub> value.

In most countries, operation of all types of industrial plants (e.g. large power stations, steelworks, cement works, glass works, and chemical plants), and local authority facilities, right through to small production sites is subject to strict regulations governing exhaust gas emissions into the atmosphere. Suitable measures are taken to ensure and regularly verify that the components defined as pollutants do not exceed certain limit values in the flue gas.

In combination with the MULTILYZER STx flue gas analyzer, the MAXISYSTEM ST gas treatment system can be used to carry out a preliminary analysis before an official emissions reading, or - depending on the country and directive - the actual official compliance testing.




### Technical specifications

Dimensions H x W x D	350 x 420 x 220 mm
Weight	7.5 kg
Material housing	Plastic
Air pressure range	750 hPa to 1100 hPa
Humidity range	20 % to 80 % rH
Max. flue gas dust load	20 g/m <sup>3</sup>
Max. humidity load	70 °C dewpoint temperature
Max. cooling capacity (at 25 °C)	72 kJ/h
Adjustable heated line temperature	100 °C to 180 °C
Operating temperature	0 °C to 40 °C
Storage temperature	-20 °C to 50 °C
Data interace	Bluetooth® Low Energy to MULTILYZER STx
Power supply	AC mains unit 220 to 240V (50 to 60 Hz)
Ingress protection rating	IP42 (DIN EN 60529)

**i** Please note: The MAXISYSTEM ST can only be used in combination with the MULTILYZER STx.



MULTILYZER STx



EuroSoft® connect app

## EuroSoft® connect App

BlueLine® measuring instruments can be used for processing and visualisation of „live“ measurement results/logs. Ideal for long-term measurements and adjustments or for use of the optional data logger function for professional, comprehensive documentation of results for customers.

The free EuroSoft® connect App or software allows you to transmit measured values to smartphones, tablets or PCs. The data can then be further processed or sent via e-mail. The evaluation software is suitable for BlueLine® measuring instruments and can be used on iOS, Android or Windows operating systems.



## Accessories MULTILYZER STx



**Base handle for interchangeable probes**  
with termocouple, draft and gas connector

2.4 mm Part no. 510940

5.0 mm Part no. 510941



**Heated sampling line for interchangeable probes**  
with termocouple, draft and gas connector

3.0 m Part no. 524437



**Interchangeable probes AWS-S, Ø 8mm**

300 mm  
Part no. 523229

750 mm  
Part no. 523231

1500 mm  
Part no. 523234



**Spare parts package gas preparation**

5 x infiltec filter PVDF  
5 x teflon membrane

Part no. 500216



**Air sensor**

Part no. 500129



**Transport bag**

with with shoulder strap  
and backpack function

Part no. 524651



Distributor:



Rivium 2e straat 12  
2909 LG Capelle a/d IJssel  
T: 010 - 2 888 000  
F: 010 - 2 888 010  
verkoop@euro-index.nl  
www.euro-index.nl

# SYSTRONIK

Messtechnologie

Member of AFRISO-EURO-INDEX group

Elektronik und Systemtechnik GmbH

Gewerbstraße 57  
88636 Illmensee, Germany  
Phone +49 7558 9206-0  
Fax +49 7558 9206-20  
info@systronik.de  
www.systronik.com

Subject to change - v21001  
The Bluetooth® word trademark and figurative trademark are the property of Bluetooth SIG, Inc. Use of these trademarks by SYSTRONIK occurs under license.

# Diensten van EURO-INDEX

EURO-INDEX is fabrikant, importeur en distributeur van diverse A-merken op het gebied van test- en meetinstrumenten. Daarnaast leveren wij een groot aantal diensten om het gebruik van deze instrumenten in uw bedrijfsvoering te optimaliseren. Dit omvat uiteraard onderhoud, reparatie en kalibratie van de instrumenten, maar ook kennisdeling via de EURO-INDEX Academy en verhuur van instrumenten.

## Geautoriseerd Service Centrum

EURO-INDEX b.v. is van alle vertegenwoordigde merken een Geautoriseerd Service Centrum. Dit betekent dat uw instrumenten worden behandeld door technici die zijn opgeleid door de fabrikant en beschikken over de juiste gereedschappen en software. Er worden uitsluitend originele onderdelen toegepast en de garantie van uw instrument, evenals de certificering (ATEX, EN50379, etc.) blijven intact.

## Kalibratielaboratorium

Ons moderne service- en kalibratielaboratorium beschikt over een RvA accreditatie naar NEN-EN-ISO/IEC 17025. Deze accreditatie geldt voor grootheden, zoals gespecificeerd in de scope bij accreditatienummer K105.



Kijk voor een overzicht van al onze diensten op [euro-index.nl/diensten](http://euro-index.nl/diensten)



## Mobiele Service

Naast de vaste kalibratielaboratoria in Capelle aan den IJssel en Zaventem beschikken wij ook over laboratoria op wielen met de naam "Mobiele Service". Dit biedt vertrouwde service en kwaliteit, bij u voor de deur!

## KWS®

KWS® is een uniek servicesysteem voor uw meetinstrumenten met periodiek onderhoud en kalibratie tegen vaste, lage kosten. Uw kalibratiecertificaten zijn digitaal beschikbaar via Mijn KWS (gratis webportaal en app).

## Verhuur van meetinstrumenten

- Uitgebreid assortiment
- Nauwkeurigheid aantoonbaar door actueel kalibratiecertificaat
- Deskundig advies
- Complete levering inclusief accessoires

## EURO-INDEX Academy

- Trainingen (individueel en klassikaal)
- Cursussen en workshops
- Demonstratie- en instructievideo's
- Whitepapers



Servicebalie



Onderhoud, reparatie en kalibratie



Cursussen en workshops



Mobiele Service

Wijzigingen voorbehouden EURO-INDEX® NL 24005



NEDERLAND  
Rivium 2e straat 12  
2909 LG Capelle a/d IJssel  
T: 010 - 2 888 000  
F: 010 - 2 888 010  
[verkoop@euro-index.nl](mailto:verkoop@euro-index.nl)  
[www.euro-index.nl](http://www.euro-index.nl)



BELGIË  
Leuvensesteenweg 607  
1930 Zaventem  
T: +32 - (0)2 - 757 92 44  
F: +32 - (0)2 - 757 92 64  
[info@euro-index.be](mailto:info@euro-index.be)  
[www.euro-index.be](http://www.euro-index.be)