

Black Edition

STM 225

Dust measuring instrument



Compact. Complete. Free from wear.


The practical solution for measurements of particulate matter on solid-fuel systems

The increasing number of solid fuel systems such as systems fired with pellets or wood chips along with environmental considerations has brought about new and more stringent emission protection regulations. We provide chimney sweeps, heating system engineers, service technicians and other professionals with the right equipment to meet the challenges involved in measuring the emissions of solid fuel systems.


The dust measuring instrument STM 225 Black Edition is specially designed for mobile use on heating systems; it is approved for stages 1 and 2 as per German regulations. The compact, robust measuring system determines the dust concentration by means of a state-of-the-art optical scattered light method. This measuring principle provides for fast and accurate measuring results and also allows for real-time diagnostics - independent of external influences such as shocks and impacts. A great feature considering rough field service conditions.

Description

Robust, compact measuring system for mobile use, consisting of measuring instrument and sampling probe for the flue gas channel of the heating system. The dust measuring instrument determines the particle/dust concentration using a state-of-the-art optical measuring principle without consumables. The particle/dust concentration is then displayed as a mean value (duration: 15 or 30 minutes). The sampling probe can also be used for tightness tests of the entire gas path.



MULTILYZER STx



EuroSoft® mobile app



■ **Innovations**

Now with automatic zero point and sampling system with quick-action coupling

■ **Time savings**

Short setup time due to fast heat-up and calibration phase

■ **Traceability**

Permanent indication of the current measured values – ideal for adjustment work

■ **Reliable measurement results**


Absolutely reliable measuring results, not influenced by interference (e.g. shocks)

■ **Future-proof**

Free software updates

■ **Proven communication**

Excellent connectivity of flue gas analyser MULTILYZER STx via Bluetooth®



General specifications	
Dimensions H x W x D	205 x 275 x 350 mm
Weight	approx. 7,5 kg (instrument)
Display	Colour touch display 5,7" (14,5 cm)
Operating temperature	5 to 40 °C
Storage temperature	-20 to +50 °C
Interfaces	Bluetooth®, RS 232, USB

Technical specifications	
Measuring range	0 to 300 mg/m ³ dust
Measured values (via MULTILYZER STx)	O ₂ : 0 to 21 Vol. % CO/H ₂ : 0 to 12.000 mg/m ³ CO: 0 to 50.000 mg/m ³
Resolution	0,1 mg/m ³
Power supply	AC 230 V, 50 Hz
Ingress Protection Rating	IP 40 (EN 60529)

Dust measuring instrument packages

Package 1



STM 225 Black Edition

Scope of delivery

- Dust measuring instrument STM 225 Black Edition Bluetooth® and calibration certificate
- Power supply unit
- Sampling system with heated line and probe ENS-W 300 mm
- Infiltec fine filter (5 pieces)
- Cleaning kit (10 cleaning swabs and cleaning cloths, 2 cleaning brushes)
- Transport bag

Package 2



STM 225 Black Edition + MULTILYZER STx

Scope of delivery

- STM like package 1
- Flue gas analyser MULTILYZER STx O₂, CO/H₂, CO_{40.000}, (diff.) temperature, (diff.) pressure, draft, Bluetooth® and calibration report
- Hose kit ASS-STM with condensate filter cartridge KFP
- Air sensor
- Power supply with USB cable
- microSD card 4 GB incl. USB 2.0 card reader

STM 225 packages

	Part no.
Package 1: STM 225 Black Edition	P00041
Package 2: STM 225 Black Edition + MULTILYZER STx	P00042

Accessories STM 225



Infiltec fine filter

Part no. 511003



Cleaning kit
consisting of
10 cleaning swabs,
10 cleaning cloths,
2 cleaning brushes

Part no. 570210



Sampling probe ENS-G

280 mm, straight

Part no. 570202



The service life and trouble-free use of the STM 225 depends largely on regular and specific cleaning.



Accessories MULTILYZER STx



**Combustion air probe
TFB-VL 100 M**

with magnetic holder

Part no. 500141

**Thermal printer
EUROprinter BLE**
with Bluetooth® and
infrared interface

Part no. 523525



**Thermal printer
EUROprinter**

Infrared interface


Part no. 522394



Interchangeable probe AWS-S

300 mm, Ø 8 mm

Part no. 570074



Annular gap probe AWS-R

Part no. 570083



Multi-hole probe AWS-M

length-adjustable 60–170 mm, Ø 8 mm

Part no. 570080

**Base handle AWS/B for
interchangeable probes**

Compensation line: 2.4 m,
with condensate filter
cartridge KFP, with draft

Part no. 510921



Spare parts package gas treatment KFP

Part no. 500208



Interchangeable probe AWS-S

180 mm, Ø 8 mm

Part no. 570073



Distributor:



Rivium 2e straat 12
2909 LG Capelle a/d IJssel
T: 010 - 2 888 000
F: 010 - 2 888 010
verkoop@euro-index.nl
www.euro-index.nl

SYSTRONIK

Messtechnologie

Member of AFRISO-EURO-INDEX group

Elektronik und Systemtechnik GmbH

Gewerbstraße 57
88636 Illmensee, Germany
Phone +49 7558 9206-0
Fax +49 7558 9206-20
info@systronik.de
www.systronik.com

Subject to change - v20001

The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by SYSTRONIK is under license. Google Play and the Google Play logo are trademarks of Google LLC. Apple and the Apple logo are trademarks of Apple Inc.

Diensten van EURO-INDEX

EURO-INDEX is fabrikant, importeur en distributeur van diverse A-merken op het gebied van test- en meetinstrumenten. Daarnaast leveren wij een groot aantal diensten om het gebruik van deze instrumenten in uw bedrijfsvoering te optimaliseren. Dit omvat uiteraard onderhoud, reparatie en kalibratie van de instrumenten, maar ook kennisdeling via de EURO-INDEX Academy en verhuur van instrumenten.

Geautoriseerd Service Centrum

EURO-INDEX b.v. is van alle vertegenwoordigde merken een Geautoriseerd Service Centrum. Dit betekent dat uw instrumenten worden behandeld door technici die zijn opgeleid door de fabrikant en beschikken over de juiste gereedschappen en software. Er worden uitsluitend originele onderdelen toegepast en de garantie van uw instrument, evenals de certificering (ATEX, EN50379, etc.) blijven intact.

Kalibratielaboratorium

Ons moderne service- en kalibratielaboratorium beschikt over een RvA accreditatie naar NEN-EN-ISO/IEC 17025. Deze accreditatie geldt voor grootheden, zoals gespecificeerd in de scope bij accreditatienummer K105.



Kijk voor een overzicht van al onze diensten op euro-index.nl/diensten



Mobiele Service

Naast de vaste kalibratielaboratoria in Capelle aan den IJssel en Zaventem beschikken wij ook over een laboratorium op wielen met de naam "Mobiele Service". Dit biedt vertrouwde service en kwaliteit, bij u voor de deur!

KWS®

KWS® is een uniek servicesysteem voor uw meetinstrumenten met periodiek onderhoud en kalibratie tegen vaste, lage kosten. Via een gratis webportal (mijnkws.nl) heeft u altijd en overal beschikking over uw kalibratiecertificaten.

Verhuur van meetinstrumenten

- Uitgebreid assortiment
- Nauwkeurigheid aantoonbaar door actueel kalibratiecertificaat
- Deskundig advies
- Complete levering inclusief accessoires

EURO-INDEX Academy

- Trainingen (individueel en klassikaal)
- Cursussen en workshops
- Demonstratie- en instructievideo's
- Whitepapers



Servicebalie



Onderhoud, reparatie en kalibratie



Cursussen en workshops



Mobiele Service

Wijzigingen voorbehouden EURO-INDEX® NL 21004



NEDERLAND
Rivium 2e straat 12
2909 LG Capelle a/d IJssel
T: 010 - 2 888 000
F: 010 - 2 888 010
verkoop@euro-index.nl
www.euro-index.nl



BELGIË
Leuvensesteenweg 607
1930 Zaventem
T: +32 - (0)2 - 757 92 44
F: +32 - (0)2 - 757 92 64
info@euro-index.be
www.euro-index.be