

GCT External Pump

Allows Gas Clip diffusion detectors to take remote samples from up to 75 feet away



- Compatible with all GCT multi gas and single gas diffusion detectors
- Draws samples at greater than 1 ft. per second (using 1/8" ID tubing)
- 40-hour continuous run time (typically)
- Rechargeable battery (charger included)
- 4 to 6-hour recharge time (typically)
- Users can perform manual block tests
- Audio & visual alerts for blockages and low battery
- IP 68 rating to withstand the harshest environment

gasclip
technologies

Portable Gas Detectors You Can Count On

gascliptech.com • +1.972.775.7577 • Toll-free: 1.877.525.0808

Contact us: <https://www.gascliptech.com/contactus.php>



GCT External Pump Version

GCT External Pump

Part# GCT-XP

External pump for drawing gas samples. Compatible with all GCT diffusion gas detectors.

Included with device: charger, ten foot sampling hose, three foot connecting hose, stainless steel diffusion stone, ten additional filters (five hydrophobic & five particulate) and Quick Start Guide.

GCT External Pump Accessories



6ft. Telescoping Sampling Probe

Part# PROBE-TS



MGC Remote Sampling Probe

Part# PROBE-1



MGC Pump Quick Disconnect*

Part# MGC-PUMP-QD



MGC Multi Charger

Part# MGC-CHARGER-MULTI



MGC Vehicle Charger

Part# MGC-CHARGER-V



Hose By The Foot

Part# HOSE-FT



Confined Space Kit

Part# CSK-XP

GCT EXTERNAL PUMP Included



Confined Space Kit w/ Gas

Part# CSK-XP-GAS




GCT EXTERNAL PUMP Included

*Detector sold separately.

Please contact us for additional accessories and spare parts.

Distributed by:

SPECIFICATIONS

Size - Weight	6.4" H x 2.6" W x 1.25" D (163 x 68 x 31mm) • 8 oz (235g)
Temperature	-7.6° to +122°F (-22° to +50°C)
Humidity	5% to 100% RH (non-condensing)
Battery Life	40 continuous hours (typically)
Charge Time	4 - 6 hours (typically)
Alarms	Visual & audible (minimum 95 dB)
LED's	<p><u>Pump Flow LED</u>--indicates that the pump is on and/or blocked</p> <p><u>Power LED</u>--indicates that the pump is on and the amount of battery life remaining</p> <p><u>Battery LED</u>--indicates when the pump is charging and when it is fully charged</p>
Tests	Full-function self test upon activation Battery test runs continuously
Ratings	IP 68
Gas Inlet	1/8 in. Stainless steel barbed fitting
Pump Draw	Sample from up to 75 ft. (23 m)
Sample Delay Time	Less than 1 second per 1 ft. (0.3m) with 1/8 in. ID tubing
Certifications and Approvals	<p> CSA: C22.2 No. 152; CSA21CA80033769X ANSI/ISA S12.13.01 Intrinsically Safe/Sécurité Intrinsèque Class I, Division 1, Group A, B, C, & D, T4 Class I, Zone 0, AEx ia IIC T4 Ga -20°C ≤ Ta ≤ +50°C; 4.2 Vdc</p> <p> IECEx: IECEx CSA 21.0006X Ex ia IIC T4 Ga IEC 60079-0:2017 IEC 60079-11:2011 -20°C ≤ Ta ≤ +50°C; 4.2 Vdc</p> <p> ATEX: CSANe 21ATEX2143X CE 2813 II 1 G Ex ia IIC T4 Ga EN 60079-0:2018 EN 60079-11:2012 -20°C ≤ Ta ≤ +50°C; 4.2Vdc</p>
Warranty	Full 2 years



Specifications are subject to change without notice due to ongoing product development.

Copyright © 2023 Gas Clip Technologies, Inc. All Rights Reserved

Diensten van EURO-INDEX

EURO-INDEX is fabrikant, importeur en distributeur van diverse A-merken op het gebied van test- en meetinstrumenten. Daarnaast leveren wij een groot aantal diensten om het gebruik van deze instrumenten in uw bedrijfsvoering te optimaliseren. Dit omvat uiteraard onderhoud, reparatie en kalibratie van de instrumenten, maar ook kennisdeling via de EURO-INDEX Academy en verhuur van instrumenten.

Geautoriseerd Service Centrum

EURO-INDEX b.v. is van alle vertegenwoordigde merken een Geautoriseerd Service Centrum. Dit betekent dat uw instrumenten worden behandeld door technici die zijn opgeleid door de fabrikant en beschikken over de juiste gereedschappen en software. Er worden uitsluitend originele onderdelen toegepast en de garantie van uw instrument, evenals de certificering (ATEX, EN50379, etc.) blijven intact.

Kalibratielaboratorium

Ons moderne service- en kalibratielaboratorium beschikt over een RvA accreditatie naar NEN-EN-ISO/IEC 17025. Deze accreditatie geldt voor grootheden, zoals gespecificeerd in de scope bij accreditatienummer K105.



Kijk voor een overzicht van al onze diensten op euro-index.nl/diensten



Mobiele Service

Naast de vaste kalibratielaboratoria in Capelle aan den IJssel en Zaventem beschikken wij ook over een laboratorium op wielen met de naam "Mobiele Service". Dit biedt vertrouwde service en kwaliteit, bij u voor de deur!

KWS®

KWS® is een uniek servicesysteem voor uw meetinstrumenten met periodiek onderhoud en kalibratie tegen vaste, lage kosten. Via een gratis webportal (mijnkws.nl) heeft u altijd en overal beschikking over uw kalibratiecertificaten.

Verhuur van meetinstrumenten

- Uitgebreid assortiment
- Nauwkeurigheid aantoonbaar door actueel kalibratiecertificaat
- Deskundig advies
- Complete levering inclusief accessoires

EURO-INDEX Academy

- Trainingen (individueel en klassikaal)
- Cursussen en workshops
- Demonstratie- en instructievideo's
- Whitepapers



Servicebalie



Onderhoud, reparatie en kalibratie



Cursussen en workshops



Mobiele Service

Wijzigingen voorbehouden EURO-INDEX® NL 21004



NEDERLAND
Rivium 2e straat 12
2909 LG Capelle a/d IJssel
T: 010 - 2 888 000
F: 010 - 2 888 010
verkoop@euro-index.nl
www.euro-index.nl



BELGIË
Leuvensesteenweg 607
1930 Zaventem
T: +32 - (0)2 - 757 92 44
F: +32 - (0)2 - 757 92 64
info@euro-index.be
www.euro-index.be